

HSS Bundling Chart

Rectangulares



Rectangulares - HSS Bundling Chart

Size	Gauge	Lgth	Lbs/ft	W x H	Pcs	Weight (lbs)	Mill	
2 x 1	0.065	240	1.27	7 x 12	84	2134	● ●	
		288	"	"	84	2560	● ● ● *	
	0.072	240	1.43	"	84	2402	● ● ● *	
		288	"	"	84	2883	● ● ● *	
	0.083	240	1.60	"	84	2688	● ● ●	
		288	"	"	84	3226	● ● ●	
	0.100	240	1.82	"	84	3058	● ● ●	
		288	"	"	84	3669	● ● ●	
	0.125	240	2.21	"	84	3713	● ● ●	
		288	"	"	84	4455	● ● ●	
	2.5 x 1.5	0.100	240	2.50	7 x 9	63	3150	● *
			288	"	"	63	3780	● *
0.125		240	3.06	"	63	3856	● *	
		288	"	"	63	4627	● *	
0.188		240	4.33	6 x 8	48	4157	● *	
		288	"	"	48	4988	● *	
3 x 1.5	0.083	240	2.39	6 x 10	60	2868	● *	
		288	"	"	60	3442	● *	
	0.100	240	2.84	"	60	3408	● *	
		288	"	"	60	4090	● *	
	0.125	240	3.48	"	60	4176	● *	
		288	"	"	60	5011	●	
3 x 2	0.083	240	2.73	6 x 7	42	2293	● ● *	
		288	"	"	42	2752	● ● *	
	0.100	240	3.26	"	42	2738	● ● *	
		288	"	"	42	3286	● ● *	
		480	3.26	6 x 6	36	4694	● ● *	
	0.125	576	"	"	36	5633	● ● *	
		240	3.91	6 x 7	42	3284	● ●	
		288	"	"	42	3941	● ●	
	0.188	480	"	6 x 6	36	5630	● ●	
		576	"	6 x 5	30	5630	● ●	
		240	5.61	6 x 6	36	4039	● ●	
	0.250	288	"	"	36	4847	● ●	
480		"	6 x 4	24	5386	● ●		
576		"	"	24	6463	● ●		
4 x 2	0.100	240	3.85	5 x 8	40	3696	● ● *	
		576	"	5 x 5	25	4620	● ● *	
	0.125	240	4.76	5 x 8	40	3808	● ●	
		288	"	"	40	4570	● ●	
		480	"	5 x 5	25	4760	● ●	
	0.188	576	"	"	25	5712	● ●	
		240	6.89	4 x 8	32	4410	● ●	
		288	"	"	32	5292	● ●	
	0.250	480	"	4 x 5	20	5512	● ●	
		576	"	4 x 4	16	5292	● ●	
		240	8.81	4 x 6	24	4229	● ●	
		288	"	"	24	5075	● ●	
480		"	4 x 4	16	5638	● ●		
576		"	"	16	6766	● ●		

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

HSS Bundling Chart

Rectangulares

Size	Gauge	Lgth	Lbs/ft	W x H	Pcs	Weight (lbs)	Mill
4 x 3	0.100	240	4.58	5 x 6	30	2748	● ● *
		288	"	"	30	3298	● ● *
	0.110	240	4.92	5 x 6	30	2952	● ● *
		480	"	5 x 5	25	4920	● ● *
	0.125	576	"	"	25	5904	● ● *
		240	5.61	5 x 6	30	3366	● ● *
		288	"	"	30	4039	● ● *
	0.188	576	"	5 x 4	20	5386	● ● *
		240	8.17	5 x 6	30	4902	● ● *
		288	"	"	30	5882	● ● *
		480	"	5 x 3	15	4902	● ● *
	0.250	576	"	"	15	5882	● ● *
		240	10.51	4 x 5	20	4204	● ● *
		288	"	"	20	5045	● ● *
		480	"	4 x 3	12	5045	● ● *
	0.313	576	"	"	12	6054	● ● *
		240	12.70	4 x 4	16	4064	● ● *
		288	"	"	16	4877	● ● *
480		"	4 x 3	12	6096	● ● *	
0.375	576	"	"	12	7315	● ● *	
	240	14.72	"	12	3533	● ● *	
	288	"	"	12	4239	● ● *	
	480	"	"	12	7066	● ● *	
5 x 2	0.125	240	4 x 7	5.61	28	3142	● ● *
		288	"	"	28	3770	● ● *
		480	4 x 6	"	24	5386	● ● *
		576	4 x 5	"	20	5386	● ● *
	0.188	240	3 x 8	8.17	24	3922	● ● *
		288	"	"	24	4706	● ● *
		480	3 x 5	"	15	4902	● ● *
		576	"	"	15	5882	● ● *
	0.250	240	3 x 7	10.51	21	4414	● ● *
		288	"	"	21	5297	● ● *
		480	3 x 4	"	12	5045	● ● *
		576	"	"	12	6054	● ● *
5 x 3	0.125	240	4 x 6	6.46	24	3101	● ● *
		288	"	"	24	3721	● ● *
		480	4 x 4	"	16	4134	● ● *
		576	"	"	16	4961	● ● *
	0.188	240	4 x 6	9.45	24	4536	● ● *
		288	"	"	24	5443	● ● *
		480	4 x 3	"	12	4536	● ● *
		576	"	"	12	5443	● ● *
	0.250	720	4 x 2	"	8	4536	● ● *
		240	4 x 5	12.21	20	4884	● ● *
		288	"	"	20	5861	● ● *
		480	4 x 3	"	12	5861	● ● *
	0.313	576	"	"	12	7033	● ● *
		720	4 x 2	"	8	5861	● ● *
		240	3 x 5	14.83	15	4449	● ● *
		288	"	"	15	5339	● ● *
	0.375	480	3 x 3	"	9	5339	● ● *
		576	"	"	9	6407	● ● *
		720	"	"	9	8008	● ● *
		240	3 x 4	17.27	12	4145	● ● *
	0.375	288	"	"	12	4974	● ● *
		480	3 x 2	"	6	4145	● ● *
		576	"	"	6	4974	● ● *
		720	"	"	6	6217	● ● *

Size	Gauge	Lgth	Lbs/ft	W x H	Pcs	Weight (lbs)	Mill
6 x 2	0.125	240	3 x 7	6.46	21	2713	● ● *
		288	"	"	21	3256	● ● *
		480	3 x 5	"	15	3876	● ● *
		576	"	"	15	4651	● ● *
	0.188	264	3 x 7	9.45	21	4366	● ● *
		288	"	"	21	4763	● ● *
		480	3 x 4	"	12	4536	● ● *
		576	"	"	12	5443	● ● *
	0.250	240	3 x 5	12.21	15	3663	● ● *
		288	"	"	15	4396	● ● *
		480	3 x 4	"	12	5861	● ● *
		576	"	"	12	7033	● ● *
6 x 3	0.188	720	3 x 3	"	9	6593	● ● *
		240	3 x 6	10.70	18	3852	● ● *
		288	"	"	18	4622	● ● *
		480	3 x 4	"	12	5136	● ● *
	0.250	576	3 x 3	"	9	4622	● ● *
		720	"	"	9	5778	● ● *
		240	3 x 5	13.91	15	4173	● ● *
		288	"	"	15	5008	● ● *
	0.313	480	3 x 3	"	9	5008	● ● *
		576	"	"	9	6009	● ● *
		240	3 x 5	16.96	15	5088	● ● *
		288	"	"	15	6106	● ● *
0.375	480	3 x 3	"	9	6106	● ● *	
	576	"	"	9	7327	● ● *	
	240	3 x 3	19.82	9	3568	● ● *	
	288	"	"	9	4281	● ● *	
0.375	480	3 x 2	"	6	4757	● ● *	
	576	"	"	6	5708	● ● *	

HSS Bundling Chart

Rectangulars

Rectangulars - HSS Bundling Chart

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill	
6 x 4	0.188	240	3 x 5	12.00	15	3600	● ●	
		288	"	"	15	4320	● ●	
		480	3 x 3	"	9	4320	● ●	
		576	"	"	9	5184	● ●	
	0.250	240	3 x 5	15.62	15	4686	● ●	
		288	3 x 4	"	12	4499	● ●	
		480	3 x 3	"	9	5623	● ●	
		576	"	"	9	6748	● ●	
		720	3 x 2	"	6	5623	● ●	
	0.313	240	3 x 4	19.08	12	4579	● ●	
		288	"	"	12	5495	● ●	
		480	3 x 2	"	6	4579	● ●	
		576	"	"	6	5495	● ●	
	0.375	240	3 x 3	22.37	9	4027	● ●	
		288	"	"	9	4832	● ●	
		480	"	"	9	5369	● ●	
		576	3 x 2	"	6	6443	● ●	
	0.500	240	3 x 3	28.43	9	5117	● ●	
		288	"	"	9	6141	● ●	
		480	3 x 2	"	6	6823	● ●	
		576	2 x 2	"	4	5459	● ●	
	7 x 5	0.188	240	3 x 4	14.53	12	3487	● ● *
			288	"	"	12	4185	● ● *
			480	3 x 3	"	9	5231	● ● *
576			"	"	9	6277	● ● *	
720			"	"	9	7846	● ● *	
0.250		240	3 x 4	19.02	12	4565	● ● *	
		288	"	"	12	5478	● ● *	
		480	3 x 2	"	6	4565	● ● *	
		576	"	"	6	5478	● ● *	
		720	"	"	6	6847	● ● *	
0.313		240	3 x 4	23.34	12	5602	● ● *	
		288	3 x 3	"	9	5041	● ● *	
		480	3 x 2	"	6	5602	● ● *	
		576	"	"	6	6722	● ● *	
		720	"	"	6	8402	● ● *	
0.375		240	3 x 3	27.48	9	4946	● ● *	
		288	"	"	9	5936	● ● *	
		480	3 x 2	"	6	6595	● ● *	
		576	"	"	6	7914	● ● *	
		720	3 x 1	"	3	4946	● ● *	
0.500		240	3 x 3	35.24	9	6343	● ●	
		288	"	"	9	7612	● ●	
		480	3 x 2	"	6	8458	● ●	
		576	"	"	6	10149	● ●	
8 x 3	0.125	240	2 x 6	9.01	12	2162	● ●	
		288	"	"	12	2595	● ●	
		480	2 x 5	"	10	3604	● ●	
		576	2 x 4	"	8	3460	● ●	
		720	"	"	8	4324	● ●	
	0.188	240	2 x 6	13.30	12	3192	● ● *	
		288	"	"	12	3831	● ● *	
		480	2 x 5	"	10	5320	● ● *	
		576	2 x 4	"	8	5108	● ● *	
		720	"	"	8	6384	● ● *	
	0.250	240	2 x 6	17.32	12	4157	● ● *	
		288	"	"	12	4989	● ● *	
		480	2 x 3	"	6	4157	● ● *	
		576	"	"	6	4989	● ● *	
		720	"	"	6	6236	● ● *	

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

HSS Bundling Chart

Rectangulares

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
8 x 3	0.313	240	2 x 5	21.24	10	4248	● ● *
		288	"	"	10	5098	● ● *
		480	2 x 3	"	6	5098	● ● *
		576	2 x 2	"	4	4079	● ● *
		720	"	"	4	5098	● ● *
	0.375	240	2 x 4	24.93	8	3989	● ● *
		288	"	"	8	4787	● ● *
		480	2 x 2	"	4	3989	● ● *
		576	"	"	4	4787	● ● *
		720	"	"	4	5984	● ● *
	0.500	240	2 x 4	31.84	8	5094	● ●
		288	"	"	8	6113	● ●
		480	2 x 2	"	4	5094	● ●
		576	"	"	4	6113	● ●
		720	"	"	4	7641	● ●
8 x 4	0.188	240	2 x 5	14.53	10	2906	● ●
		288	"	"	10	3487	● ●
		480	"	"	10	5812	● ●
		576	"	"	10	6974	● ●
		720	2 x 2	"	4	3487	● ●
	0.250	240	2 x 5	19.02	10	3804	● ●
		288	"	"	10	4565	● ●
		480	2 x 4	"	8	6086	● ●
		576	2 x 3	"	6	5478	● ●
		720	2 x 2	"	4	4565	● ●
	0.313	240	2 x 5	23.34	10	4668	● ●
		288	"	"	10	5602	● ●
		480	2 x 3	"	6	5602	● ●
		576	"	"	6	6722	● ●
		720	2 x 2	"	4	5602	● ●
	0.375	240	2 x 5	27.48	10	5496	● ●
		288	2 x 4	"	8	5276	● ●
		480	2 x 3	"	6	6595	● ●
		576	2 x 2	"	4	5276	● ●
		720	"	"	4	6595	● ●
	0.500	240	2 x 4	35.24	8	5638	● ●
288		"	"	8	6766	● ●	
480		2 x 2	"	4	5638	● ●	
576		"	"	4	6766	● ●	
8 x 6		0.188	240	3 x 3	17.08	6	2050
	288		"	"	6	2460	● ●
	480		"	"	6	4099	● ●
	576		"	"	6	4919	● ●
	720		"	"	6	4919	● ●
	0.250	240	"	22.42	6	2690	● ●
		288	"	"	6	3228	● ●
		480	"	"	6	5381	● ●
		576	"	"	6	6457	● ●
		720	"	"	6	6457	● ●
	0.313	240	"	27.59	6	3311	● ●
		288	"	"	6	3973	● ●
		480	"	"	6	6622	● ●
		576	2 x 2	"	4	5297	● ●
		720	"	"	4	5297	● ●
	0.375	240	3 x 3	32.58	6	3910	● ●
		288	"	"	6	4692	● ●
		480	"	"	6	7819	● ●
		576	2 x 2	"	4	6255	● ●
		720	"	"	4	6255	● ●
	0.500	240	3 x 3	42.05	6	5046	● ●
288		"	"	6	6055	● ●	
480		2 x 2	"	4	6728	● ●	
576		"	"	4	8074	● ●	
720		"	"	4	8074	● ●	

Size	Gauge	Lgth	W x H	Lbs/ft	Pcs	Weight (lbs)	Mill
10 x 4	0.188	240	2 x 5	17.08	10	3416	● ●
		288	"	"	10	4099	● ●
		480	2 x 4	"	8	5466	● ●
		576	"	"	8	6559	● ●
		720	"	"	8	6559	● ●
	0.250	240	2 x 5	22.42	10	4484	● ●
		288	"	"	10	5381	● ●
		480	2 x 4	"	8	7174	● ●
		576	2 x 3	"	6	6457	● ●
		720	"	"	6	6457	● ●
	0.313	240	2 x 5	27.59	10	5518	● ●
		288	"	"	10	6622	● ●
		480	2 x 3	"	6	6622	● ●
		576	2 x 2	"	4	5297	● ●
		720	"	"	4	5297	● ●
0.375	240	2 x 4	32.58	8	5213	● ●	
	288	"	"	8	6255	● ●	
	480	2 x 2	"	4	5213	● ●	
	576	"	"	4	6255	● ●	
	720	"	"	4	6255	● ●	
0.500	240	2 x 3	42.05	6	5046	● ●	
	288	"	"	6	6055	● ●	
	480	2 x 2	"	4	6728	● ●	
	576	"	"	4	8074	● ●	
	720	"	"	4	8074	● ●	
10 x 6	0.188	240	2 x 4	19.63	8	3141	● ●
		288	"	"	8	3769	● ●
		480	"	"	8	6282	● ●
		576	2 x 3	"	6	5653	● ●
		720	"	"	6	5653	● ●
	0.250	240	2 x 4	25.82	8	4131	● ●
		288	"	"	8	4957	● ●
		480	2 x 3	"	6	6197	● ●
		576	"	"	6	7436	● ●
		720	"	"	6	7436	● ●
	0.313	240	2 x 4	31.84	8	5094	● ●
		288	"	"	8	6113	● ●
		480	2 x 3	"	6	7642	● ●
		576	2 x 2	"	4	6113	● ●
		720	"	"	4	6113	● ●
	0.375	240	2 x 3	37.69	6	4523	● ●
		288	"	"	6	5427	● ●
		480	2 x 2	"	4	6030	● ●
		576	"	"	4	7236	● ●
		720	"	"	4	7236	● ●
	0.500	240	2 x 3	48.85	6	5862	● ●
288		"	"	6	7034	● ●	
480		2 x 2	"	4	7816	● ●	
576		"	"	4	9379	● ●	
720		"	"	4	9379	● ●	
12 x 4	0.188	240	2 x 4	19.63	8	3141	● ●
		288	"	"	8	3769	● ●
		480	"	"	8	6282	● ●
		576	2 x 3	"	6	5653	● ●
		720	"	"	6	5653	● ●
	0.250	240	2 x 4	25.82	8	4131	● ●
		288	"	"	8	4957	● ●
		480	2 x 3	"	6	6197	● ●
		576	"	"	6	7436	● ●
		720	"	"	6	7436	● ●
	0.313	240	2 x 4	31.84	8	5094	● ●
		288	"	"	8	6113	● ●
		480	2 x 3	"	6	7642	● ●
		576	2 x 2	"	4	6113	● ●
		720	"	"	4	6113	● ●
	0.375	240	2 x 3	37.69	6	4523	● ●
		288	"	"	6	5427	● ●
		480	2 x 2	"	4	6030	● ●
		576	"	"	4	7236	● ●
		720	"	"	4	7236	● ●
	0.500	240	2 x 3	48.85	6	5862	● ●
288		"	"	6	7034	● ●	
480		2 x 2	"	4	7816	● ●	
576		"	"	4	9379	● ●	
720		"	"	4	9379	● ●	



* Please inquire for minimum quantity required and/or special length

● Canada ● USA