

HSS Bundling Chart

Rounds



O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
0.84 (1/2")	0.109	252	0.85	169	3017	●
	(sch40)	288	"	169	3448	●
	0.147	240	1.09	169	3684	●*
	(sch80)	252	"	169	3868	●*
	288	"	169	4421	●*	
1.050 (3/4")	0.083	252	0.86	127	2294	●*
	(sch10)	288	"	127	2621	●*
	0.100	288	1.01	127	3078	●*
	0.110	252	1.10	127	2934	●*
	288	"	127	3353	●*	
	0.113	252	1.13	127	3014	●
	(sch40)	288	"	127	3444	●
	0.125	288	1.23	127	3749	●*
	0.154	252	1.47	127	3920	●*
	(sch80)	288	"	127	4481	●*
1.315 (1")	0.083	288	1.09	127	3322	● ●*
	0.100	288	1.30	127	3962	● ●*
	0.109	252	1.40	127	3734	● ●*
	(sch10)	288	"	127	4267	● ●*
	0.125	288	1.59	127	4846	● ●
	0.133	252	1.68	127	4481	● ●
	(sch40)	288	"	127	5121	● ●
	0.179	252	2.17	91	4147	● ●*
	(sch80)	288	"	91	4739	● ●*
1.660 (1 1/4")	0.083	288	1.40	91	3058	● ●*
	0.100	288	1.67	91	3647	● ●
	0.109	252	1.82	91	3478	● ●*
	(sch10)	288	"	91	3975	● ●*
	0.125	288	2.05	91	4477	● ●
	0.134	288	2.18	91	4761	● ●*
	0.140	252	2.27	61	2908	● ●
	(sch40)	288	"	61	3323	● ●
	0.191	252	3.00	61	3843	● ●*
	(sch80)	288	"	61	4392	● ●*
1.900 (1 1/2")	0.100	288	1.92	91	4193	● ●*
	0.109	252	2.08	91	3975	● ●*
	(sch10)	288	"	91	4543	● ●*
	0.125	288	2.38	91	5198	● ●
	0.145	252	2.72	61	3484	● ●
	(sch40)	288	"	61	3982	● ●
	0.188	288	3.44	61	5036	● ●
	0.200	252	3.63	61	4650	● ●
	(sch80)	288	"	61	5314	● ●
	2.375 (2")	0.100	252	2.43	61	3113
288		"	61	3558	● ●*	
0.109		252	2.64	61	3382	● ●*
(sch10)		288	"	61	3865	● ●*
0.125		252	3.01	61	3856	● ●
288		"	61	4407	● ●	
480		"	44	5298	● ●*	
504		"	29	3666	● ●*	
576		"	29	4190	● ●*	
0.134		252	3.21	61	4112	● ●*
288		"	61	4699	● ●*	
480		"	29	3724	● ●*	
504		"	29	3910	● ●*	
576		"	29	4468	● ●*	
0.154		252	3.65	61	4676	● ●
(sch40)		288	"	61	5344	● ●
480		"	29	4234	● ●*	
504		"	29	4446	● ●*	
576		"	29	5081	● ●*	

Rounds - HSS Bundling Chart

HSS Bundling Chart

Rounds

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill	
2.375 (2")	0.188	252	4.40	51	4712	● ● *	
		288	"	51	5386	● ● *	
		480	"	24	4224	● ● *	
		504	"	24	4435	● ● *	
		576	"	24	5069	● ● *	
	0.218 (sch80)	252	5.02	37	3901	● ● *	
		288	"	37	4458	● ● *	
		504	"	24	5060	● ● *	
	0.250	576	"	24	5783	● ● *	
		252	5.68	37	4413	● ● *	
		288	"	37	5044	● ● *	
		480	"	24	5453	● ● *	
	2.875 (2 1/2")	0.125	252	3.67	37	2852	● ● *
			288	"	37	3259	● ● *
			480	"	29	4257	● ● *
504			"	29	4470	● ● *	
576			"	29	5109	● ● *	
0.134		252	3.92	37	3046	● ● *	
		288	"	37	3481	● ● *	
		480	"	29	4547	● ● *	
		504	"	29	4775	● ● *	
0.188		576	"	29	5457	● ● *	
		252	5.40	44	4990	● ● *	
		288	"	29	3758	● ● *	
		480	"	16	3456	● ● *	
0.203 (sch40)		504	"	16	3629	● ● *	
		576	"	16	4147	● ● *	
	252	5.79	37	4499	● ● *		
	288	"	37	5142	● ● *		
0.250	480	"	24	5558	● ● *		
	504	"	24	5836	● ● *		
	576	"	13	3613	● ● *		
	252	7.01	29	4269	● ● *		
0.276 (sch80)	288	"	29	4879	● ● *		
	480	"	16	4486	● ● *		
	504	"	16	4711	● ● *		
	576	"	16	5384	● ● *		
3.500 (3")	0.120 (sch10)	252	4.33	29	2637	● ● *	
		288	"	29	3014	● ● *	
		480	"	29	5023	● ● *	
		504	"	29	5274	● ● *	
		576	"	29	6027	● ● *	
	0.125	252	4.51	29	2747	● ● *	
		288	"	29	3139	● ● *	
		480	"	29	5232	● ● *	
		576	"	29	6278	● ● *	
	0.134	252	4.82	29	2935	● ● *	
		288	"	29	3355	● ● *	
		480	"	29	5591	● ● *	
		504	"	29	5871	● ● *	
		576	"	16	3702	● ● *	

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
3.500 (3')	0.188	252	6.66	29	4056	● ● *
		288	"	29	4635	● ● *
		480	"	16	4262	● ● *
		504	"	16	4476	● ● *
		576	"	16	5115	● ● *
	0.216 (sch40)	252	7.58	29	4616	● ● *
		288	"	29	5276	● ● *
		480	"	16	4851	● ● *
		504	"	16	5094	● ● *
	0.250	576	"	16	5821	● ● *
		252	8.69	19	3467	● ● *
		288	"	19	3963	● ● *
		480	"	10	3476	● ● *
	0.300 (sch80)	504	"	10	3650	● ● *
		576	"	10	4171	● ● *
252		10.25	19	4090	● ● *	
288		"	19	4674	● ● *	
4.000 (3 1/2")	0.125 (sch 10)	480	"	10	4100	● ● *
		504	"	10	4305	● ● *
		576	"	10	4920	● ● *
		252	5.18	24	2611	● ● *
		288	"	24	2984	● ● *
	0.188	480	"	24	4973	● ● *
		504	"	24	5221	● ● *
		576	"	13	3232	● ● *
		252	7.66	24	3861	● ● *
	0.226 (sch 40)	288	"	24	4412	● ● *
		480	"	13	3983	● ● *
		504	"	13	4182	● ● *
		576	"	13	4780	● ● *
	0.250	252	9.11	24	4591	● ● *
		288	"	24	5247	● ● *
480		"	13	4737	● ● *	
504		"	13	4974	● ● *	
0.318 (Sch 80)	576	"	13	5685	● ● *	
	252	10.02	19	3998	● ● *	
	288	"	19	4569	● ● *	
	480	"	10	4008	● ● *	
0.318 (Sch 80)	504	"	10	4208	● ● *	
	576	"	10	4810	● ● *	
	252	12.51	19	4991	● ● *	
	288	"	19	5705	● ● *	
	480	"	10	5004	● ● *	
0.318 (Sch 80)	504	"	10	5254	● ● *	
	576	"	10	6005	● ● *	

* Please inquire for minimum quantity required and/or special length

● Canada ● USA



HSS Bundling Chart

Rounds

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
4.500 (4")	0.120 (sch10)	252	5.61	24	2827	● ●
		288	"	24	3231	● ●
		480	"	24	5386	● ●
		504	"	24	5655	● ●
		576	"	13	3501	● ●
	0.125	252	5.84	24	2943	● ●
		288	"	24	3364	● ●
		480	"	13	3037	● ●
		504	"	13	3189	● ●
		576	"	13	3644	● ●
	0.188	252	8.66	24	4365	● ● *
		288	"	24	4988	● ● *
		480	"	13	4503	● ● *
		504	"	13	4728	● ● *
		576	"	13	5404	● ● *
	0.237 (sch40)	252	10.79	19	4305	● ●
		288	"	19	4920	● ●
		480	"	10	4316	● ●
		504	"	10	4532	● ●
		576	"	10	5179	● ●
	0.250	252	11.36	19	4533	● ●
		288	"	19	5180	● ●
		480	"	10	4544	● ●
		504	"	10	4771	● ●
		576	"	10	5453	● ●
	0.300	252	13.45	19	5367	● ● *
		288	"	19	6133	● ● *
		480	"	10	5380	● ● *
		504	"	10	5649	● ● *
		576	"	10	6456	● ● *
0.337 (sch80)	252	14.98	10	3146	● ● *	
	288	"	10	3595	● ● *	
	480	"	10	5992	● ● *	
	504	"	10	6292	● ● *	
	576	"	10	7190	● ● *	
5.563 (5")	0.134 (sch10)	252	7.77	10	1632	● ● *
		288	"	10	1865	● ● *
		480	"	10	3108	● ● *
		504	"	10	3263	● ● *
		576	"	10	3730	● ● *
	0.188	240	10.79	10	2158	● ● *
		252	"	10	2266	● ● *
		288	"	10	2590	● ● *
		480	"	10	4316	● ● *
		504	"	10	4532	● ● *
	0.250	252	14.20	10	2982	● ● *
		288	"	10	3408	● ● *
		480	"	10	5680	● ● *
		504	"	10	5964	● ● *
		576	"	7	4771	● ● *
	0.258 (sch40)	252	14.62	10	3070	● ● *
		288	"	10	3509	● ● *
		480	"	10	5848	● ● *
		504	"	10	6140	● ● *
		576	"	7	4912	● ● *
	0.375 (Sch 80)	252	20.79	10	4366	● ● *
		288	"	10	4990	● ● *
		480	"	7	5821	● ● *
		504	"	7	6112	● ● *
		576	"	7	6985	● ● *

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

HSS Bundling Chart

Rounds

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
6.625 (6")	0.134 (sch10)	252	9.29	10	1951	● ● *
		288	"	10	2230	● ● *
		480	"	10	3716	● ● *
		504	"	10	3902	● ● *
		576	"	10	4459	● ● *
	0.188	240	12.92	10	2584	● ●
		252	"	10	2713	● ●
		288	"	10	3101	● ●
		480	"	10	5168	● ●
		504	"	10	5426	● ●
		576	"	7	4341	● ●
	0.250	240	17.00	10	3400	● ●
		252	"	10	3570	● ●
		288	"	10	4080	● ●
		480	"	7	4760	● ●
		504	"	7	4998	● ●
	0.280 (sch40)	252	18.97	10	3984	● ●
		288	"	10	4553	● ●
		480	"	7	5312	● ●
		504	"	7	5577	● ●
		576	"	7	6374	● ●
	0.4325 (sch80)	252	28.60	10	6006	● ●
		288	"	10	6864	● ●
		480	"	7	8008	● ●
504		"	7	8408	● ●	
576		"	7	9610	● ●	
7"	0.188	252	13.69	7	2011	● ●
		288	"	7	2298	● ●
		480	"	7	3830	● ●
		504	"	7	4021	● ●
		576	"	7	4595	● ●
	0.250	252	18.04	7	2652	● ●
		288	"	7	3031	● ●
		480	"	7	5051	● ●
		504	"	7	5303	● ●
		576	"	7	6061	● ●
	0.276	252	19.84	7	2916	● ●
		288	"	7	3333	● ●
		480	"	7	5555	● ●
		504	"	7	5832	● ●
		576	"	7	6667	● ●
	0.313	252	22.354	7	3286	● ●
		288	"	7	3755	● ●
		480	"	7	6259	● ●
		504	"	7	6572	● ●
		576	"	7	7511	● ●
	0.375	252	26.558	7	3904	● ●
		288	"	7	4462	● ●
		480	"	7	7436	● ●
		504	"	7	7808	● ●
		576	"	5	6374	● ●
	0.5	252	34.743	7	5107	● ●
		288	"	7	5837	● ●
		480	"	7	9728	● ●
		504	"	5	7296	● ●
		576	"	5	8338	● ●

O.D Size	Gauge	Lgth	Lbs/ft	Pcs	Weight (lbs)	Mill
8.625 (8")	0.188 (sch 10)	252	16.96	7	2490	● ●
		288	"	7	2845	● ●
		480	"	7	4743	● ●
		504	"	7	4980	● ●
		576	"	7	5691	● ●
	0.25 (sch 20)	252	22.38	7	3287	● ●
		288	"	7	3756	● ●
		480	"	7	6260	● ●
		504	"	7	6574	● ●
		576	"	7	7513	● ●
	0.322 (sch 40)	252	28.58	7	4201	● ●
		288	"	7	4801	● ●
		480	"	7	8002	● ●
		504	"	7	8403	● ●
		576	"	7	9603	● ●
	0.500 (sch 80)	252	43.43	7	6384	● ●
		288	"	7	7296	● ●
		480	"	2	3474	● ●
504		"	2	3648	● ●	
576		"	2	4169	● ●	
9.625 (9")	0.188	252	18.92	2	795	● ●
		288	"	2	908	● ●
		480	"	2	1513	● ●
		504	"	2	1589	● ●
		576	"	2	1816	● ●
	0.250	252	25.06	2	1052	● ●
		288	"	2	1202	● ●
		480	"	2	2004	● ●
		504	"	2	2105	● ●
		576	"	2	2405	● ●
	0.342 (sch 40)	252	33.94	2	1424	● ●
		288	"	2	1627	● ●
		480	"	2	2712	● ●
		504	"	2	2848	● ●
		576	"	2	3254	● ●
	0.375	252	37.08	2	1557	● ●
		288	"	2	1780	● ●
		480	"	2	2966	● ●
504		"	2	3114	● ●	
576		"	2	3560	● ●	
0.500 (sch 80)	252	48.77	2	2047	● ●	
	288	"	2	2339	● ●	
	480	"	2	3898	● ●	
	504	"	2	4093	● ●	
	576	"	2	4678	● ●	

* Please inquire for minimum quantity required and/or special length

● Canada ● USA

